			ŋ
	Application No.	Applicant(s)	
	09/384,108	DOYLE ET AL.	
Notice of Allowability	Examiner	Art Unit	
	Chirag G. Shah	2616	
The MAILING DATE of this communication appeal All claims being allowable, PROSECUTION ON THE MERITS IS (herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGOT (of the Office or upon petition by the applicant. See 37 CFR 1.313	(OR REMAINS) CLOSED in this ap or other appropriate communication GHTS. This application is subject to	plication. If not include will be mailed in due	ed course. THIS
1. This communication is responsive to <u>2/21/06</u> .	•		
2. X The allowed claim(s) is/are 1, 2, 5-6, 13-14, and 17; renumber	bered 1-7 respectively.		
 3. Acknowledgment is made of a claim for foreign priority uners. a) All b) Some* c) None of the: 1. Certified copies of the priority documents have 		٠	
2. Certified copies of the priority documents have		·	o .
3. Copies of the certified copies of the priority doc	cuments have been received in this	national stage applicat	lion from the
International Bureau (PCT Rule 17.2(a)).		• • • • • • • • • • • • • • • • • • • •	
* Certified copies not received:			
Applicant has THREE MONTHS FROM THE "MAILING DATE" of noted below. Failure to timely comply will result in ABANDONMI THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		complying with the rec	luirements
4. A SUBSTITUTE OATH OR DECLARATION must be submit INFORMAL PATENT APPLICATION (PTO-152) which give	tted. Note the attached EXAMINER s reason(s) why the oath or declara	'S AMENDMENT or Nation is deficient.	OTICE OF
5. X CORRECTED DRAWINGS (as "replacement sheets") must	t be submitted.		
(a) ⊠ including changes required by the Notice of Draftsperso		948) attached	
1) 🛛 hereto or 2) 🗌 to Paper No./Mail Date		ŕ	•
(b) ☐ including changes required by the attached Examiner's Paper No./Mail Date	Amendment / Comment or in the C	Office action of	
Identifying indicia such as the application number (see 37 CFR 1.4 each sheet. Replacement sheet(s) should be labeled as such in the			back) of
 DEPOSIT OF and/or INFORMATION about the depos attached Examiner's comment regarding REQUIREMENT F 	sit of BIOLOGICAL MATERIAL r FOR THE DEPOSIT OF BIOLOGIC	must be submitted. N AL MATERIAL.	lote the
·		PATENT EXAMINER, 20	<u>.</u> 14
Attachment(s)			
1. Notice of References Cited (PTO-892)	5. Notice of Informal P	• • • • • • • • • • • • • • • • • • • •)-152)
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	. 6. ⊠ Interview Summary Paper No./Mail Da		
3. Information Disclosure Statements (PTO-1449 or PTO/SB/08 Paper No./Mail Date	8), 7. ⊠ Examiner's Amendr	ment/Comment	
4. Examiner's Comment Regarding Requirement for Deposit	8. 🖾 Examiner's Stateme	ent of Reasons for Allo	wance
of Biological Material	9. 🔲 Other	•	
•			

Application/Control Number: 09/384,108

Art Unit: 2616

EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with John Harris on 3/31/06.

The application has been amended as follows:

Claim 1, line 26 after the word, "device", "via the selected radio" has been inserted.

Abstract, line 3, after the word, "system", "or the like" has been removed.

The following changes to the drawings have been approved by the examiner and agreed upon by applicant:

Figure 1, index 14 has been labeled as, "wireless device"

Figure 5, index 106 has been labeled as, "first type wireless device"

Figure 5, index 108 has been labeled as, "second type wireless device"

Figure 6, index 232 has been labeled as, "wireless device"

Figure 6, index 210 has been labeled as, "bridge apparatus"

Figure 6, index 212 has been labeled as, "bridge apparatus"

Figure 6, index 214 has been labeled as, "bridge apparatus"

Art Unit: 2616

In order to avoid abandonment of the application, applicant must make these above agreed upon drawing changes.

- 2. The drawings filed on 8/27/99 are acceptable subject to correction of the informalities indicated on the attached "Notice of Draftsperson's Patent Drawing Review," PTO-948. In order to avoid abandonment of this application, correction is required in reply to the Office action.

 The correction will not be held in abeyance.
- 3. New corrected drawings in compliance with 37 CFR 1.121(d) are required in this application. Applicant is advised to employ the services of a competent patent draftsperson outside the Office, as the U.S. Patent and Trademark Office no longer prepares new drawings. The corrected drawings are required in reply to the Office action to avoid abandonment of the application. The requirement for corrected drawings will not be held in abeyance.

Reasons For Allowance

4. The following is an examiner's statement of reasons for allowance: Regarding claims 1 and 13, prior art fails to disclose of transmitting all the data directly to the one mobile wireless device via the one radio upon selecting one radio from the first and second radio, the one radio being selected in accordance with the communication protocol associated with the data, the communication device having received an initiation of communications form the one mobile wireless device when the device entered a coverage area of the one radio in combination with other limitations set forth in the respective claims.

Application/Control Number: 09/384,108

Art Unit: 2616

Allowance."

Page 4

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Chirag G. Shah whose telephone number is 571-272-3144. The examiner can normally be reached on M-F 8:30-5:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Doris To can be reached on 571-272-7682. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

cgs

March 31, 2006

Chirag Shah

Patent Examiner, Division 2616